

For the acute treatment of migraine with or without aura and
the preventive treatment of episodic migraine in adults

Migraine stealing your time? Ask about Nurtec ODT

You can pay
as little as

\$0*
copay

See inside for
terms and conditions



Marina M.-L.
Actual Nurtec ODT Patient
@parentingwithmigraine

Nurtec[®] ODT
(rimegepant)
orally disintegrating tablets 75 mg

SELECT IMPORTANT SAFETY INFORMATION

Do not take Nurtec ODT if you are allergic to
Nurtec ODT (rimegepant) or any of its ingredients.

**Please see additional Important Safety Information
inside this brochure. Full Prescribing Information and
Patient Information are located in the back pocket.**

*Eligible, commercially insured patients can, for one time only, access Nurtec ODT at no cost while benefits are being verified for one Rx fill, with a total max of 16 tablets. Insurer must approve coverage to continue receiving Nurtec ODT at no cost. Max annual benefit of \$7,000. See full terms & conditions at: nurtec.com/savings.

Learn more at nurtec.com.


Helping you get back to the things that matter

Nurtec® ODT (rimegepant) is the only migraine medication that can treat or help prevent migraine attacks.

With 2 different ways to use Nurtec ODT, you and your healthcare provider have the flexibility to choose how it could best help you.

TREAT

Nurtec ODT can be taken as soon as a migraine strikes to help stop pain and other symptoms.*



HELP PREVENT

Nurtec ODT can be taken every other day to help prevent migraine attacks.

*Light sensitivity, sound sensitivity, or nausea.

SELECT IMPORTANT SAFETY INFORMATION (cont'd)

Before you take Nurtec ODT, tell your healthcare provider (HCP) about all your medical conditions, including if you:

- have liver problems,
- have kidney problems,
- are pregnant or plan to become pregnant,
- are breastfeeding or plan to breastfeed.



I can use Nurtec ODT to treat or help prevent my migraine attacks, so my doctor and I can choose which is best for me.

Jennifer F.

Actual Nurtec ODT Patient
Individual results may vary



Please see additional Important Safety Information at the end of this brochure. Full Prescribing Information and Patient Information are located in the back pocket.

ABOUT

HOW IT WORKS

WHAT TO EXPECT

IS IT RIGHT FOR ME?

GETTING STARTED

SAVINGS

IMPORTANT SAFETY INFORMATION



How it works

Nurtec® ODT (rimegepant) is a type of migraine medication that blocks a protein called calcitonin gene-related peptide (CGRP) from attaching to its receptor. This protein is believed to be one of the potential causes of migraine attacks.

Nurtec ODT is the only migraine medication of its kind that comes in an orally dissolvable tablet.*



Dissolves in seconds

*Nurtec ODT is the only CGRP receptor antagonist available as an orally dissolving tablet.

SELECT IMPORTANT SAFETY INFORMATION (cont'd)


Tell your HCP about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Nurtec ODT may cause serious side effects including allergic reactions, including trouble breathing and rash. This can happen days after you take Nurtec ODT.

Please see additional Important Safety Information at the end of this brochure. Full Prescribing Information and Patient Information are located in the back pocket.

4

CGRP IN THE BRAIN




For illustrative purposes only.

CGRP is released during migraine attacks.

These proteins attach to the receptors, causing nerve inflammation and increased pain signals to the brain.

NURTEC ODT BLOCKS CGRP RECEPTOR



For illustrative purposes only.

Nurtec ODT works by helping block CGRP receptors. This can treat and help prevent migraine attacks.

5

Rapid relief for when migraine strikes

A single dose of Nurtec[®] ODT (rimegepant) taken during a migraine attack:



Can provide freedom from migraine pain and symptoms* in 2 hours for some people.



Can keep migraine pain away for up to 2 days for some people.

*Light sensitivity, sound sensitivity, or nausea.

Acute

In a study of people who took either Nurtec ODT or placebo to treat their migraines, 21% (142/669) of Nurtec ODT patients experienced pain freedom at 2 hours compared with 11% (74/682) for placebo, and 35% (235/669) experienced freedom from their most bothersome symptom (selected from light sensitivity, sound sensitivity, or nausea) at 2 hours compared with 27% (183/682) for placebo. Pain freedom was sustained in 14% (90/669) of Nurtec ODT patients through 48 hours compared with 5% (37/682) for placebo.

SELECT IMPORTANT SAFETY INFORMATION (cont'd)

Call your HCP or get emergency help right away if you have swelling of the face, mouth, tongue, or throat or trouble breathing. This occurred in less than 1% of patients treated with Nurtec ODT.

6



Jennifer F.

Actual Nurtec ODT Patient

Fewer monthly migraine days are possible



When taken every other day, Nurtec ODT significantly reduced monthly migraine days in people taking Nurtec ODT (4.3 fewer days) vs people taking placebo (3.5 fewer days).

Preventive

In a study of 348 people taking Nurtec ODT every other day to prevent their migraine attacks vs 347 people taking placebo, 1 in 2 people saw their moderate-to-severe migraine days reduced by at least half with Nurtec ODT compared to 2 in 5 with placebo.

Please see additional Important Safety Information at the end of this brochure. Full Prescribing Information and Patient Information are located in the back pocket.

7

Is it right for me?

Talk to your doctor to find out if Nurtec ODT is right for you. Be sure they know about all the medications you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.



Consider your medical history

Nurtec ODT may be taken by people with stable heart disease or cardiovascular risk factors. These patients were included in clinical trials if they had no acute cardiovascular events 6 months before entering the trial.



Consider what medications you take

Talk to your doctor about all of your medications. You may be able to take Nurtec ODT with:

Oral contraceptives

Some antidepressants

Preventive medications for migraine

Other acute (or “rescue”) medications for migraine

SELECT IMPORTANT SAFETY INFORMATION (cont'd)

The most common side effects of Nurtec ODT were nausea (2.7%) and stomach pain/indigestion (2.4%). These are not the only possible side effects of Nurtec ODT. Tell your

8 HCP if you have any side effects.

Discover more about

Nurtec® ODT (rimegepant)

1. It is a non-narcotic treatment.
2. It is an oral dissolving formulation that may be helpful for people who experience nausea and vomiting.
3. It is an option for preventive treatment that is not an injection.
4. No drink or water is needed to take Nurtec ODT.
5. You may **pay as little as \$0** with the copay card. Terms and conditions apply. See page 12 for details.



Thanks to the pain relief I get from Nurtec ODT, I get to enjoy time with my family with less worry when another migraine will strike.

Marina M.-L.
Actual Nurtec ODT Patient
Individual results may vary



Please see additional Important Safety Information at the end of this brochure. Full Prescribing Information and Patient Information are located in the back pocket.



Getting started

Some things to know before you start taking Nurtec® ODT (rimegepant):

- Use dry hands to peel back the foil covering of the blister pack and immediately remove one tablet.
- Do not push through the foil or store the tablet outside the blister pack for future use.
- If you take too much Nurtec ODT, go to the nearest emergency room right away.
- The maximum dose of Nurtec ODT in a 24-hour period is 75 mg. The safety of using more than 18 doses in a 30-day period has not been established.

For full instructions on how to take Nurtec ODT, please see the Patient Information located in the back pocket.



Understanding insurance

Although most insurance plans cover Nurtec ODT, many require a prior authorization before they begin paying for it. Your doctor's office will submit additional information to your insurance plan to get approval. You may be able to help by:

- Ensuring your healthcare provider has your complete migraine medical history, including medications you have taken in the past
- Following up if you do not hear back about the status of your prior authorization

You may be eligible for a **\$0 copay**. Terms and conditions apply. See page 12 for details.



Direct to your home delivery

Get Nurtec ODT delivered to your home through Nurtec OneSource. Eligible patients and their healthcare providers have access to a dedicated team to help them through the process.

Additional Nurtec OneSource services include:

- Savings and out-of-pocket support*
- Reminders to refill your prescription
- Help transferring your prescription from a local pharmacy to home delivery

For more information, call

1-833-4NURTEC

Mon-Fri, 8:30 AM-8:00 PM ET



*Terms and conditions apply. See page 12 for details.

Please see additional Important Safety Information at the end of this brochure. Full Prescribing Information and Patient Information are located in the back pocket.

Pay as little as \$0 with the copay card

You may be eligible to pay as little as \$0 per month with the copay card. Learn more today. Terms and conditions apply.



 SCAN	 VISIT
	nurtec.com/savings
 CALL	
<p>If you have any questions about insurance coverage, cost/saving, or prior authorization related to your Nurtec ODT, a Pfizer Migraine Patient Access Coordinator can help.</p> <p>Please call us at 1-866-222-4183 Mon-Fri, 8:00 AM-8:00 PM ET</p>	

Eligibility requirements: For eligible, commercially insured patients. Patients are not eligible to use this card if they are enrolled in a state or federally funded insurance program, including but not limited to Medicare, Medicaid, TRICARE, Veterans Affairs health care, a state prescription drug assistance program, or the Government Health Insurance Plan available in Puerto Rico. The offer will be accepted only at participating pharmacies. This offer is not health insurance. No membership fees apply. Pfizer reserves the right to rescind, revoke, or amend this offer without notice. For any questions, please call 1-800-761-1568. For full terms and conditions visit nurtec.com/copy-terms or write to Pfizer Inc. at PO Box 29387, Mission, KS 66201.

To the Pharmacist: By redeeming this offer, the Pharmacist certifies: (a) that the Pharmacy has not submitted, and will not submit, a claim for reimbursement under any federal, state, or other government programs for this prescription or where prohibited by law and (b) the Pharmacist will adhere to the terms and conditions stated [above].

Pharmacist Instructions: Commercially Insured Patients, please submit this claim to the patient's primary Third-Party Payer first, then submit the balance due to CHANGE HEALTHCARE as a Secondary Payer COB (coordination of benefits) with patient responsibility and a valid Other Coverage Code (eg, 08). If the claim is rejected due to Prior Authorization, Step-edit or NDC Block, continue processing the Nurtec ODT Savings Card as a secondary payer COB with valid Other Coverage Code of 03. An approved PA will be required for all subsequent fills. Reimbursement will be received from CHANGE HEALTHCARE.

For questions, please call the help line for Nurtec ODT at

12 1-800-731-4997, Monday – Friday, 8 AM – 8 PM ET.

Terms & conditions

Eligible, commercially insured patients can, for one time only, access Nurtec® ODT (rimegepant) at no cost while insurance benefits are being verified. This is for one prescription fill, with a maximum of 16 tablets total.

Insurance coverage must be approved by insurance for you to continue receiving Nurtec ODT at no cost. Terms and conditions apply. This is not health insurance. Maximum annual benefit of \$7,000 applies.

“
Nurtec ODT treats my attacks and helps me get back to my normal self.

Ellie W.

Actual Nurtec ODT Patient
 Individual results may vary



SELECT IMPORTANT SAFETY INFORMATION (cont'd)

You are encouraged to report adverse events related to Pfizer products by calling 1-800-438-1985 (U.S. only). If you prefer, you may contact the U.S. Food and Drug Administration (FDA) directly. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see additional Important Safety Information at the end of this brochure. Full Prescribing Information and Patient Information are located in the back pocket.

IMPORTANT SAFETY INFORMATION & USES

Do not take Nurtec ODT if you are allergic to Nurtec ODT (rimegepant) or any of its ingredients.

Before you take Nurtec ODT, tell your healthcare provider (HCP) about all your medical conditions, including if you:

- have liver problems,
- have kidney problems,
- are pregnant or plan to become pregnant,
- are breastfeeding or plan to breastfeed.

Tell your HCP about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Nurtec ODT may cause serious side effects including allergic reactions, including trouble breathing and rash. This can happen days after you take Nurtec ODT. Call your HCP or get emergency help right away if you have swelling of the face, mouth, tongue, or throat or trouble breathing. This occurred in less than 1% of patients treated with Nurtec ODT.

The most common side effects of Nurtec ODT were nausea (2.7%) and stomach pain/indigestion (2.4%). These are not the only possible side effects of Nurtec ODT. Tell your HCP if you have any side effects.

You are encouraged to report adverse events related to Pfizer products by calling 1-800-438-1985 (U.S. only). If you prefer, you may contact the U.S. Food and Drug Administration (FDA) directly. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

WHAT IS NURTEC ODT?

Nurtec ODT orally disintegrating tablets is a prescription medicine that is used to treat migraine in adults. It is for the acute treatment of migraine attacks with or without aura and the preventive treatment of episodic migraine. It is not known if Nurtec ODT is safe and effective in children.

Please see Full Prescribing Information and Patient Information in the back pocket.



**I'm so glad that
Nurtec ODT can
treat migraine attacks.**

Evan B.

*Actual Nurtec ODT Patient
Individual results may vary*



Connect with us. Share your story with us.
Email us at shareyourstory@yuzuzest.com
and you could be featured.
[@NurtecODT](#)



Ready to take control of your migraine treatment?

Discuss these 7 questions with your healthcare provider. Your answers can help establish your treatment goals.

1. Are you satisfied with your current migraine treatment?
2. How many days per month do you experience migraine pain?
3. How long does the pain last, and how intense is it? Have your migraine attacks changed over the past 3-6 months?
4. What symptoms do you experience before and during a migraine attack?
5. What factors or events (eg, food, stress, menstrual cycle, light, high altitude, lack of sleep, etc) seem to trigger your migraine attacks?
6. What over-the-counter or prescription medications have you taken for migraine in the past?
7. Does anyone in your family experience migraine attacks?

SELECT IMPORTANT SAFETY INFORMATION (cont'd)

Before you take Nurtec ODT, tell your healthcare provider (HCP) about all your medical conditions, including if you:

- have liver problems,
- have kidney problems,
- are pregnant or plan to become pregnant,
- are breastfeeding or plan to breastfeed.

Please see additional Important Safety Information inside this brochure. Full Prescribing Information and Patient Information are located in the back pocket.

This promotion is for US audiences only.

© 2024 Pfizer Inc. All rights reserved.

NURTEC and the NURTEC Logo are trademarks of Pfizer Ireland Pharmaceuticals.

November 2024. PP-NNT-USA-3779

Nurtec[®] ODT
(rimegepant)
orally disintegrating tablets 75 mg



PI Revised: 04/2023